

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|-------------|----|------------|
|----------|------|-------------|----|------------|

|   |    |  |   |                  |
|---|----|--|---|------------------|
| - | 96 | ("6697360"<br>"6532217"<br>"6070187"<br>"6115545"<br>"5922049"<br>"6212563"<br>"6212563"<br>"6029196"<br>"6023464"<br>"6061739"<br>"6061739"<br>"5708654"<br>"6463474"<br>"6385653"<br>"5812819"<br>"6289377"<br>"6345294"<br>"5854901"<br>"6496511"<br>"5884024"<br>"6236652"<br>"6560642"<br>"6587468"<br>"6023724"<br>"6393484"<br>"6195706"<br>"6629145"<br>"5724510"<br>"6678732"<br>"5848233"<br>"6687820"<br>"6578074"<br>"6088725"<br>"6427170"<br>"6609154"<br>"6614788"<br>"6012088"<br>"6701329"<br>"5950195"<br>"6028848"<br>"6029203"<br>"6052803"<br>"6094659"<br>"6108330"<br>"6118768"<br>"6466986"<br>"6374295"<br>"6564216"<br>"6654891"<br>"6101499") .pn.<br>("6424654"<br>"6381650"<br>"5956391"<br>"6073178"<br>"6243749"<br>"6601093"<br>"6651092"<br>"6687245"<br>"6697851"<br>"6684327"<br>"6360276"<br>"6195689"<br>"5963207"<br>"5835727"<br>"6587455"<br>"6223222"<br>"6223222"<br>"6049826"<br>"6601096"<br>"6226272"<br>"6226272"<br>"6377990"<br>"6694243"<br>"6154776"<br>"609109"<br>"6633761"<br>"....." | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 10:34 |
|---|----|--|---|------------------|

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 493 | (dynamic adj host adj configuration) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 10:37 |
| - | 19  | (dynamic adj host adj configuration) and ((unauthorized invalid) with server) and @ad<19991125                            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 10:45 |
| - | 5   | (detect\$3 with ((unauthorized invalid) adj server)) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 10:47 |
| - | 49  | (detect\$3 with (unauthorized invalid) with server) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 10:59 |
| - | 23  | (detect\$3 same (unauthorized invalid) same server) and (request) and (client) and (simulat\$3) and @ad<19991125          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 11:03 |
| - | 7   | (detect\$3 same (unauthorized invalid) with server) and (request) and (client) and (simulat\$3) and @ad<19991125          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 11:00 |
| - | 26  | (detect\$3 same (unauthorized invalid) same server) and (request) and (simulat\$3) and @ad<19991125                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 11:08 |
| - | 11  | (detect\$3 same (unauthorized invalid) same server) and (request) and (simulat\$3 with (client request)) and @ad<19991125 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 11:10 |
| - | 11  | (detect\$3 same (unauthorized invalid) same server) and (simulat\$3 with (client request)) and @ad<19991125               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 11:10 |
| - | 54  | ((unauthorized invalid) adj server) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 11:32 |
| - | 112 | ((untrusted rogue) with server) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 11:37 |
| - | 21  | ((untrusted rogue) adj server) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 11:33 |
| - | 304 | ((detect\$3 identify\$3) same (untrusted rogue invalid unauthorized) same server) and @ad<19991125                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 11:38 |
| - | 133 | ((detect\$3 identify\$3) same (untrusted rogue invalid unauthorized) with server) and @ad<19991125                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 11:38 |
| - | 80  | ((detect\$3 identify\$3) with (untrusted rogue invalid unauthorized) with server) and @ad<19991125                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 13:07 |
| - | 3   | (IP with renewal with request) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 13:10 |
| - | 11  | (IP with renewal) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 13:18 |
| - | 122 | (flood\$3 with request) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 13:16 |

|   |       |  |   |                  |
|---|-------|--|---|------------------|
| - | 0     | ((IP address) with renewal) same (MAC) same (client with (IP address)) and @ad<19991125        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 13:19 |
| - | 2     | ((IP address) with renewal) same (MAC) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 13:21 |
| - | 6     | ((IP address) with renewal) and (MAC) and ((client) with (IP address)) and @ad<19991125        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 13:45 |
| - | 48    | (DHCPREQUEST DHCPDISCOVER) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 13:46 |
| - | 7     | (DHCPREQUEST DHCPDISCOVER) and (denied denial deny\$3 overload\$3 flood\$3) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 13:54 |
| - | 46    | (DHCPREQUEST DHCPDISCOVER) same (renewal MAC IP address) and @ad<19991125                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 13:58 |
| - | 336   | (simulat\$3 with client) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 13:59 |
| - | 3     | (simulat\$3 with client) and DHCP and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 14:05 |
| - | 13    | (simulat\$3 with (user client)) and DHCP and @ad<19991125                                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 16:37 |
| - | 78    | (disable) same (unauthorized rogue) same (client server application) and @ad<19991125          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 16:39 |
| - | 0     | (disable) same (unauthorized rogue) same (client server application) and dhcp and @ad<19991125 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 16:38 |
| - | 0     | (disable) same (unauthorized rogue) same (client server application) and DHCP and @ad<19991125 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/29 16:39 |
| - | 18    | (disable) with (unauthorized rogue) with (client server application) and @ad<19991125          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 11:19 |
| - | 1     | (address adj hogging) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 10:05 |
| - | 58554 | (flood\$3 hog\$4) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 10:05 |
| - | 133   | (flood\$3 hog\$4) same (server) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 10:05 |
| - | 1     | (flood\$3 hog\$4) same (server) same (simulat\$3) and @ad<19991125                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 10:08 |
| - | 37    | (flood\$3 hog\$4) same (server) and (simulat\$3) and @ad<19991125                              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 10:18 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 112 | (overload\$3) same (server) and (simulat\$3) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 10:18 |
| - | 4   | (overload\$3) same (server) same (simulat\$3) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 10:19 |
| - | 407 | (overload\$3) same (server) same (connection session user client) and @ad<19991125                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 10:19 |
| - | 1   | (overload\$3) same (server) same (simulat\$3) same (connection session user client) and @ad<19991125                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 10:20 |
| - | 64  | (overload\$3) same (server) and (simulat\$3) same (connection session user client) and @ad<19991125                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 10:21 |
| - | 1   | (overload\$3 flood\$3 hog\$4) same (server) same (simulat\$3) same (connection session user client) and @ad<19991125 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 10:21 |
| - | 98  | (overload\$3 flood\$3 hog\$4) same (simulat\$3) same (connection session user client) and @ad<19991125               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 10:22 |
| - | 61  | (overload\$3 flood\$3 hog\$4) same (simulat\$3) with (connection session user client) and @ad<19991125               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 10:22 |
| - | 61  | (overload\$3 flood\$3 hog\$4) same (simulat\$3) with (connection session user client) and @ad<19991125               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 10:22 |
| - | 0   | (chaddr) same (unknown wrong erroneous) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 11:19 |
| - | 32  | (chaddr) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 11:20 |
| - | 87  | (chaddr MAC) same (DHCP) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 11:20 |
| - | 20  | (chaddr MAC) same (DHCP) same (unknown invalid erroneous wrong) and @ad<19991125                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 11:35 |
| - | 29  | (address) same (DHCP) same (unknown invalid erroneous wrong) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 16:09 |
| - | 933 | (IP) same (releas\$3) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 16:09 |
| - | 212 | (IP with address) same (releas\$3) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 16:10 |
| - | 88  | (IP with address) same (releas\$3) same server and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 16:13 |
| - | 97  | (IP with address) same (releas\$3) same ((unknown invalid existent) server) and @ad<19991125                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM TDB | 2004/03/30 16:13 |

|   |       |  |   |                  |
|---|-------|--|---|------------------|
| - | 1     | (IP with address) same (releas\$3) same ((unknown invalid existent) with server) and @ad<19991125              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 16:23 |
| - | 21    | (authorized) same (releas\$3) with (resource) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 16:41 |
| - | 2852  | (releas\$3) with (resource) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 16:31 |
| - | 441   | (table database) same (releas\$3) with (resource) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 16:32 |
| - | 13    | (validated verified) same (releas\$3) with (resource) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 16:53 |
| - | 23    | (authorized authenticated) same (releas\$3) with (resource) and @ad<19991125                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 17:04 |
| - | 50    | (request\$3) same (valid validated authorized authenticated) same (releas\$3) with (resource) and @ad<19991125 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 17:15 |
| - | 15125 | (return\$3) same (valid validated authorized authenticated) and @ad<19991125                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 17:16 |
| - | 309   | ((releas\$3 with message) DHCPRELEASE) same (server) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 17:19 |
| - | 1     | ((releas\$3 with message) DHCPRELEASE) same (server) same (unknown) and @ad<19991125                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 17:20 |
| - | 0     | ((release adj message) DHCPRELEASE) same (server) same (unknown) and @ad<19991125                              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 17:20 |
| - | 84    | ((release adj message) DHCPRELEASE) same (server) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 17:31 |
| - | 3     | (DHCPRELEASE) same (server) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 17:53 |
| - | 38    | (DHCPREQUEST) same (server) and @ad<19991125   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 17:58 |
| - | 3     | (DHCPREQUEST) same (releas\$3) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 18:00 |
| - | 0     | (DHCPREQUEST) same (unknown) and @ad<19991125  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>IBM_TDB | 2004/03/30 18:00 |